



american-  
style beer  
frosters



HUS-FR3-SCUR-FL

Compact 227 litres/8 cu.ft. capacity



Now your customers can enjoy the ultimate in ultra-cold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Brandable solid door

High-efficiency compressor

Heavy-duty hinges with automatic return

Galvanised pre-painted steel construction with polyester paint

Solid construction

Strong fully adjustable industrial shelving

Electronic thermostat with enlarged digital readout advertises this unique feature to consumers

Interior illumination.

### Technical Specifications

<b>MODEL</b>	HUS-FR3-SCUR-FL
<b>CAPACITY</b>	
Nett Total	227 litres/8 cu.ft
<b>PERFORMANCE</b>	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
<b>FEATURES</b>	
Temp. Control	Electronic
Shelves	3
Refrigerant	R134a
<b>DIMENSIONS</b>	
Net HxWxD	1502x540x635mm/59.13x21x23.13"
Container quantity 40'	72

© 2008 Husky Group Ltd. \* Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



**Husky Group Ltd.**  
The 4 Degree Centre  
Bilton Way  
Lutterworth LE17 4JA  
United Kingdom

Tel: +44 (0)1455 555340  
Fax: +44 (0)1455 555376  
E-mail: info@husky-group.com

**The Husky Refrigerator Co. LLC**  
Florida  
U.S.A.  
(full address TBA)

**Husky Group Ltd. (Asia Office)**  
Room B516, Jia Hua International  
Business Centre  
15 Hangda Road, Hangzhou  
P.R. China 310007

Tel: +86 (0)57186974561/86974286  
Fax: +86 (0)571 86974569  
E-mail asia@husky-group.com



american-style beer frosters



Compact 227 litres/8 cu.ft. capacity



Now your customers can enjoy the ultimate in ultra-cold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Brandable ILLUMINATED solid door

High-efficiency compressor

Heavy-duty hinges with automatic return

Galvanised pre-painted steel construction with polyester paint

Solid construction

Strong fully adjustable industrial shelving

Electronic thermostat with enlarged digital readout advertises this unique feature to consumers

Interior illumination.

### Technical Specifications

<b>MODEL</b>	HUS-FR3-ILL-FL
<b>CAPACITY</b>	
Nett Total	227 litres/8 cu.ft
<b>PERFORMANCE</b>	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
<b>FEATURES</b>	
Temp. Control	Electronic
Shelves	3
Refrigerant	R134a
<b>DIMENSIONS</b>	
Net HxWxD	1502x540x635mm/59.13x21x23.13"
Container quantity 40'	72

© 2008 Husky Group Ltd. \* Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



HUS-ER3-ILL-FL



**Husky Group Ltd.**  
The 4 Degree Centre  
Bilton Way  
Lutterworth LE17 4JA  
United Kingdom

Tel: +44 (0)1455 555340  
Fax: +44 (0)1455 555376  
E-mail: info@husky-group.com

**The Husky Refrigerator Co. LLC**  
Florida  
U.S.A.  
(full address TBA)

**Husky Group Ltd. (Asia Office)**  
Room B516, Jia Hua International  
Business Centre  
15 Hangda Road, Hangzhou  
P.R. China 310007

Tel: +86 (0)57186974561/86974286  
Fax: +86 (0)571 86974569  
E-mail asia@husky-group.com



american  
style beer  
froster



HEATED  
GLASS

Compact 227 litres/8 cu.ft capacity  
with flat heated glass door



Now your customers  
can enjoy the ultimate  
in ultra-cold refresh-

ment. Husky deep-  
cooling technology means beer may be cooled to  
-6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and  
saline environments

Heated glass door prevents misting

High-efficiency compressor

Heavy-duty hinges with automatic return

Galvanised pre-painted steel construction with  
polyester paint

Solid construction

Strong fully adjustable industrial shelving

Electronic thermostat with enlarged digital readout  
advertises this unique feature to consumers

Interior illumination.

### Technical Specifications

<b>MODEL</b>	<b>HUS-FR3-FHGLS-FL</b>
<b>CAPACITY</b>	
Nett Total	227 litres/8 cu.ft
<b>PERFORMANCE</b>	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
<b>FEATURES</b>	
Temp. Control	Electronic
Shelves	3
Refrigerant	R134a
<b>DIMENSIONS</b>	
Net HxWxD	1502x540x552mm/59.13x21x21.75"
Container quantity 40'	72

© 2008 Husky Group Ltd. \* Community Designs applied for. Husky Group reserve  
the right to change specifications at any time without notice



**Husky Group Ltd.**  
The 4 Degree Centre  
Bilton Way  
Lutterworth LE17 4JA  
United Kingdom

Tel: +44 (0)1455 555340  
Fax: +44 (0)1455 555376  
E-mail: info@husky-group.com

**The Husky Refrigerator Co. LLC**  
Florida  
U.S.A.  
(full address TBA)

**Husky Group Ltd. (Asia Office)**  
Room B516, Jia Hua International  
Business Centre  
15 Hangda Road, Hangzhou  
P.R. China 310007

Tel: +86 (0)57186974561/86974286  
Fax: +86 (0)571 86974569  
E-mail asia@husky-group.com

HUS-FR3-FHGLS-FL