



American-style beer frosters



HUS-SL50-FL

Medium 427 litre/15.1 cu.ft. capacity



Now your customers can enjoy the ultimate

in ultra-cold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Fully brandable

Stainless steel sliding lids and counter top

Robust body made with 2 x 6mm walls injected with CFC-free polyurethane.

Galvanised pre-painted steel construction with polyester paint

Solid construction

Optional electronic thermostat with enlarged digital readout advertises this unique feature to consumers.

Technical Specifications

MODEL	HUS-SL50-FL
CAPACITY	
Nett Total	427 litres/15.1 cu.ft.
PERFORMANCE	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
FEATURES	
Temp. Control	Electronic
Refrigerant	R134a
DIMENSIONS	
Net HxWxD	854x1302x692mm/33.63x51.25x27.25"
Container quantity 40'	54

© 2008 Husky Group Ltd. *Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



Husky Group Ltd.
The 4 Degree Centre
Bilton Way
Lutterworth LE17 4JA
United Kingdom

Tel: +44 (0)1455 555340
Fax: +44 (0)1455 555376
E-mail: info@husky-group.com

The Husky Refrigerator Co. LLC
Florida
U.S.A.
(full address TBA)

Husky Group Ltd. (Asia Office)
Room B516, Jia Hua International
Business Centre
15 Hangda Road, Hangzhou
P.R. China 310007

Tel: +86 (0)57186974561/86974286
Fax: +86 (0)571 86974569
E-mail asia@husky-group.com



American-style beer frosters



HUS-SL25-FL

Compact 147 litre/5.2 cu.ft. capacity



Now your customers can enjoy the ultimate in ultra-cold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Fully brandable

Stainless steel sliding lid and counter top

Robust body made with 2 x 6mm walls injected with CFC-free polyurethane.

Galvanised pre-painted steel construction with polyester paint

Solid construction

Optional electronic thermostat with digital readout.

Technical Specifications

MODEL	HUS-SL25-FL
CAPACITY	
Nett Total	147 litres/5.2 cu.ft.
PERFORMANCE	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
FEATURES	
Temp. Control	Electronic
Refrigerant	R134a
DIMENSIONS	
Net HxWxD	854x660x692mm/33.63x26x27.25"
Container quantity 40'	102

© 2008 Husky Group Ltd. *Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



Husky Group Ltd.
The 4 Degree Centre
Bilton Way
Lutterworth LE17 4JA
United Kingdom

Tel: +44 (0)1455 555340
Fax: +44 (0)1455 555376
E-mail: info@husky-group.com

The Husky Refrigerator Co. LLC
Florida
U.S.A.
(full address TBA)

Husky Group Ltd. (Asia Office)
Room B516, Jia Hua International
Business Centre
15 Hangda Road, Hangzhou
P.R. China 310007

Tele: +86 (0)57186974561/86974286
Fax: +86 (0)571 86974569
E-mail asia@husky-group.com



American-style beer frosters



HUS-SL65-FL

Large 595 litre/21 cu.ft. capacity



Now your customers can enjoy the ultimate

in ultra-cold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Fully brandable

Stainless steel sliding lids and counter top

Robust body made with 2 x 6mm walls injected with CFC-free polyurethane.

Galvanised pre-painted steel construction with polyester paint

Solid construction

Optional electronic thermostat with enlarged digital readout advertises this unique feature to consumers.

Technical Specifications

MODEL	HUS-SL65-FL
CAPACITY	
Nett Total	595 litres/21 cu.ft.
PERFORMANCE	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
FEATURES	
Temp. Control	Electronic
Refrigerant	R134a
DIMENSIONS	
Net HxWxD	854x1683x692mm/33.63x66.25x27.25"
Container quantity 40'	42

© 2008 Husky Group Ltd. *Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



Husky Group Ltd.
The 4 Degree Centre
Bilton Way
Lutterworth LE17 4JA
United Kingdom

Tel: +44 (0)1455 555340
Fax: +44 (0)1455 555376
E-mail: info@husky-group.com

The Husky Refrigerator Co. LLC
Florida
U.S.A.
(full address TBA)

Husky Group Ltd. (Asia Office)
Room B516, Jia Hua International
Business Centre
15 Hangda Road, Hangzhou
P.R. China 310007

Tel: +86 (0)57186974561/86974286
Fax: +86 (0)571 86974569
E-mail asia@husky-group.com



American-style beer frosters



Mega 889 litre/31.4 cu.ft. capacity



Now your customers can enjoy the ultimate

in ultracold refreshment. Husky deep-cooling technology means beer may be cooled to -6°C/21°F without freezing (glass bottles only)

Forced air heavy-duty condenser resistant to rust and saline environments

Fully brandable

Stainless steel sliding lids and counter top

Robust body made with 2 x 6mm walls injected with CFC-free polyurethane.

Galvanised pre-painted steel construction with polyester paint

Solid construction

Optional electronic thermostat with enlarged digital readout advertises this unique feature to consumers.

Technical Specifications

MODEL	HUS-SL95-FL
CAPACITY	
Nett Total	889 litres/31.4 cu.ft.
PERFORMANCE	
Power Input watts	TBC
Energy Consumption Kwh/24h	TBC
Temperature Range	-1°C - -8°C/30°F - 18°F
FEATURES	
Temp. Control	Electronic
Refrigerant	R134a
DIMENSIONS	
Net HxWxD	854x2438x692mm/33.63x96x27.25"
Container quantity 40'	24

© 2008 Husky Group Ltd. *Community Designs applied for. Husky Group reserve the right to change specifications at any time without notice



Husky Group Ltd.
The 4 Degree Centre
Bilton Way
Lutterworth LE17 4JA
United Kingdom

Tel: +44 (0)1455 555340
Fax: +44 (0)1455 555376
E-mail: info@husky-group.com

The Husky Refrigerator Co. LLC
Florida
U.S.A.
(full address TBA)

Husky Group Ltd. (Asia Office)
Room B516, Jia Hua International
Business Centre
15 Hangda Road, Hangzhou
P.R. China 310007

Tel: +86 (0)57186974561/86974286
Fax: +86 (0)571 86974569
E-mail asia@husky-group.com

HUS-SL95-FL